

Note: All dimensions are in millimetres (mm)

Stock Code	Mirror Size (mm)	Shape	Edge
KR5050GT	500 ø x 5	Round	18mm Bevel



5mm thick mirror



Safety backing film



Copper-free mirror




Two years warranty



Glue-to-wall







Note: All dimensions are in millimetres (mm)

The depth of the mirror is 5mm, the space between the back of the mirror and the wall due to the hangers is 9mm making the total depth 14mm.

Stock Code	Mirror Size (mm)	Shape	Edge
KR5050HN	500 ø x 14	Round	18mm Bevel



5mm thick mirror



Safety backing film



Copper-free mirror



Two years warranty




Hangers for easy installation

PLEASE NOTE: Mirrors will need to be installed in accordance with the Installation Guide. Ablaze does not take responsibility for incorrect installation of these mirrors. Specifications are for information purposes only. Whilst every effort has been made to ensure the product specifications are accurate, due to continuing product development and improvement, the specifications are subject to change. Specifications can be used to rough in and for timber supports in the wall however, we recommend no holes are drilled without having the product on site or verifying the details with the manufacturer. Thermogroup cannot be held liable or responsible for errors due to updated specifications.







Note: All dimensions are in millimetres (mm)

Stock Code	Mirror Size (mm)	Shape	Edge
KR6060GT	600 ø x 5	Round	18mm Bevel



5mm thick mirror



Safety backing film



Copper-free mirror




Two years warranty



Glue-to-wall







Note: All dimensions are in millimetres (mm)

The depth of the mirror is 5mm, the space between the back of the mirror and the wall due to the hangers is 9mm making the total depth 14mm.

Stock Code	Mirror Size (mm)	Shape	Edge
KR6060HN	600 ø x 14	Round	18mm Bevel



5mm thick mirror



Safety backing film



Copper-free mirror



Two years warranty




Hangers for easy installation

PLEASE NOTE: Mirrors will need to be installed in accordance with the installation guide. Ablaze does not take responsibility for incorrect installation of these mirrors. Specifications are for information purposes only. Whilst every effort has been made to ensure the product specifications are accurate, due to continuing product development and improvement, the specifications are subject to change. Specifications can be used to rough in and for timber supports in the wall however, we recommend no holes are drilled without having the product on site or verifying the details with the manufacturer. Thermogroup cannot be held liable or responsible for errors due to updated specifications.







Note: All dimensions are in millimetres (mm)

Stock Code	Mirror Size (mm)	Shape	Edge
KR7070GT	700 ø x 5	Round	18mm Bevel



Safety backing film



Copper-free mirror



Two years warranty




Glue-to-wall



5mm thick mirror







Note: All dimensions are in millimetres (mm)

The depth of the mirror is 5mm, the space between the back of the mirror and the wall due to the hangers is 9mm making the total depth 14mm.

Stock Code	Mirror Size (mm)	Shape	Edge
KR7070HN	700 ø x 14	Round	18mm Bevel



5mm thick mirror



Safety backing film



Copper-free mirror



Two years warranty




Hangers for easy installation

PLEASE NOTE: Mirrors will need to be installed in accordance with the installation guide. Ablaze does not take responsibility for incorrect installation of these mirrors. Specifications are for information purposes only. Whilst every effort has been made to ensure the product specifications are accurate, due to continuing product development and improvement, the specifications are subject to change. Specifications can be used to rough in and for timber supports in the wall however, we recommend no holes are drilled without having the product on site or verifying the details with the manufacturer. Thermogroup cannot be held liable or responsible for errors due to updated specifications.







Note: All dimensions are in millimetres (mm)

Stock Code	Mirror Size (mm)	Shape	Edge
KR8080GT	800 ø x 5	Round	18mm Bevel



5mm thick mirror



Safety backing film



Copper-free mirror




Two years warranty



Glue-to-wall







Note: All dimensions are in millimetres (mm)

The depth of the mirror is 5mm, the space between the back of the mirror and the wall due to the hangers is 9mm making the total depth 14mm.

Stock Code	Mirror Size (mm)	Shape	Edge
KR8080HN	800 ø x 14	Round	18mm Bevel



5mm thick mirror



Safety backing film



Copper-free mirror



Two years warranty




Hangers for easy installation

PLEASE NOTE: Mirrors will need to be installed in accordance with the Installation Guide. Ablaze does not take responsibility for incorrect installation of these mirrors. Specifications are for information purposes only. Whilst every effort has been made to ensure the product specifications are accurate, due to continuing product development and improvement, the specifications are subject to change. Specifications can be used to rough in and for timber supports in the wall however, we recommend no holes are drilled without having the product on site or verifying the details with the manufacturer. Thermogroup cannot be held liable or responsible for errors due to updated specifications.







Note: All dimensions are in millimetres (mm)

Stock Code	Mirror Size (mm)	Shape	Edge
KR9090GT	900 ø x 5	Round	18mm Bevel



5mm thick mirror



Safety backing film



Copper-free mirror




Two years warranty



Glue-to-wall







Note: All dimensions are in millimetres (mm)

The depth of the mirror is 5mm, the space between the back of the mirror and the wall due to the hangers is 9mm making the total depth 14mm.

Stock Code	Mirror Size (mm)	Shape	Edge
KR9090HN	900 ø x 14	Round	18mm Bevel



5mm thick mirror



Safety backing film



Copper-free mirror



Two years warranty



Hangers for easy installation

PLEASE NOTE: Mirrors will need to be installed in accordance with the Installation Guide. Ablaze does not take responsibility for incorrect installation of these mirrors. Specifications are for information purposes only. Whilst every effort has been made to ensure the product specifications are accurate, due to continuing product development and improvement, the specifications are subject to change. Specifications can be used to rough in and for timber supports in the wall however, we recommend no holes are drilled without having the product on site or verifying the details with the manufacturer. Thermogroup cannot be held liable or responsible for errors due to updated specifications.

